Author index

Abrashkin, S., see Lavie, E. (991) 62
Ade, H., see Rothman, S.S. (991) 484
Adler, L., see Nilsson, A. (991) 296
Agrò, A.F., see Carelli, V. (991) 25
Allen, R.A., Erickson, R.W. and Jesaitis, A.J.
Identification of a human neutrophil protein of M_r 24000 that binds *N*-formyl peptides: co-sedimentation with specific granules (991) 123
Alter, S.C. and Schwartz, L.B.
Effect of histamine and divalent cations on the activity and stability of tryptase from human mast cells (991) 426
Antoine, E., see Redini, F. (991) 359
Ardaillou, N., Bellon, G., Nivez, M.-P., Rakotoarison, S. and Ardaillou, R.
Quantification of collagen synthesis by cultured human glomerular cells (991) 445
Ardaillou, R., see Ardaillou, N. (991) 445
Attwood, D., see Rothman, S.S. (991) 484
Azoury, R., see Lavie, E. (991) 62

Bando, N., see Tsuji, H. (991) 380
Barbato, G., Calabria, R., Cartení-Farina, M., D'Auria, G., De Rosa, M., Sartorio, R., Wurzburger, S. and Zappia, V.
A physico-chemical approach to the study of the binding interaction between *S*-adenosyl-L-methionine and polyanions: binding constants and nature of the interaction with sodium poly(styrene sulfonate) (991) 324
Bellon, G., see Ardaillou, N. (991) 445
Bessem, C., see Slavkin, H.C. (991) 12
Bhargava, M.M., see Corrigall, A.V. (991) 399
Bitton, M., see Lavie, E. (991) 62
Boland, C.R., see Shimamoto, C. (991) 284
Bouvier, M. and Brown, G.R.
The induced circular dichroism of bilirubin complexed with the α-helix form of poly(L-lysine) (991) 303
Bringas, Jr., P., see Slavkin, H.C. (991) 12
Britigan, B.E., see Pou, S. (991) 459
Brown, G.R., see Bouvier, M. (991) 303
Buhse, Jr., H.E., see Ryals, P.E. (991) 438
Busscher, H.J., see Van der Mei, H.C. (991) 395
Butler, M.H. and Wright, B.E.
Pyruvate oxidation in vivo and in vitro in *Dictyostelium discoideum* (991) 337

Calabria, R., see Barbato, G. (991) 324
Carelli, V., Casini, A., Desideri, A., Agrò, A.F., Liberatore, F. and Tortorella, S.
Adriamycin-catalyzed aerobic photooxidation of NAD dimers to NAD^+ (991) 25
Cartení-Farina, M., see Barbato, G. (991) 324
Casini, A., see Carelli, V. (991) 25
Chang, T.H.P., see Rothman, S.S. (991) 484
Chang, T.M.S., see Daka, N.J. (991) 487
Chao, J., see Chao, S. (991) 477
Chao, L., see Chao, S. (991) 477
Chao, S., Chao, L. and Chao, J.
Sex dimorphism and inflammatory regulation of T-kininogen and T-kininogenase (991) 477
Chiao, J.S., see Tianhui, X. (991) 1
Chiao, J.S., see Tianhui, X. (991) 6
Chu, S.-h.W., see Ozaki, C.K. (991) 243
Cilento, G., see Nascimento, A.L.T.O. (991) 50
Clarkson, T.W., see Magos, L. (991) 85
Cohen, M.S., see Pou, S. (991) 459
Colombini, M., see Zhang, D.-W. (991) 68
Corrigall, A.V., Bhargava, M.M., Ivanetich, K.M., Ehlers, M.R.W. and Kirsch, R.E.
Site-directed inactivation of human lung acidic glutathione *S*-transferase by 1-chloro-2,4-dinitrobenzene in the absence of glutathione (991) 399
Csiba, E., see Huebers, H.A. (991) 30

Daemen, T., Veninga, A., Roerdink, F.H. and Scherphof, G.L.
Conditions controlling tumor cytotoxicity of rat liver macrophages mediated by liposomal muramyl dipeptide (991) 145
Dahlmann, B., Kuehn, L., Heinrich, P.C., Kirschke, H. and Wiederanders, B.
ATP-activated, high-molecular-mass proteinase-I from rat skeletal muscle is a cysteine proteinase-α_1-macroglobulin complex (991) 253
Dahlmann, B., see Kuehn, L. (991) 263
Daka, N.J., Sipehia, R. and Chang, T.M.S.
Enhanced oxidation of bilirubin by an immobilized tri-enzyme system of glucose oxidase, bilirubin oxidase and horseradish peroxidase (991) 487
Dalgleish, D.G., Horne, D.S. and Law, A.J.R.
Size-related differences in bovine casein micelles (991) 383
D'Auria, G., see Barbato, G. (991) 324
De Rosa, M., see Barbato, G. (991) 324
Deshmukh, G.D., see Shimamoto, C. (991) 284
Desideri, A., see Carelli, V. (991) 25
Dratz, E.A., see Ross, P.E. (991) 134

Eerdmans, M.E., see Meryhew, N.L. (991) 470
Ehlers, M.R.W., see Corrigall, A.V. (991) 399
Elgavish, G.A., see Levy, A. (991) 97
Epstein, W.L., see Kikuchi, M. (991) 19
Erickson, R.W., see Allen, R.A. (991) 123

Fincham, A.G., see Slavkin, H.C. (991) 12
Fujisawa, H., see Kitani, T. (991) 44
Fukazawa, H., Nishimura, T. and Suzuki, H.
A nucleotide phosphodiesterase with preference for 2′,5′-phosphodiester bonds from Ehrlich ascites carcinoma (991) 272
Fukuda, T., see Kocha, T. (991) 56
Fukuyama, K., see Kikuchi, M. (991) 19

Gauthier, F., see Kuehn, L. (991) 263
Gilboe, D.P. and Nuttall, F.Q.
The importance of nucleoside triphosphate inhibition of liver glycogen synthase phosphatase activity (991) 340
Glickson, J.D., see Levy, A. (991) 97
Goldberg, I. and Hochman, A.
Purification and characterization of a novel type of catalase from the bacterium *Klebsiella pneumoniae* (991) 330

Gray, M.L., Pizzanelli, A.M., Lee, R.C., Grodzinsky, A.J. and Swann, D.A.
Kinetics of the chondrocyte biosynthetic response to compressive load and release (991) 415
Grendell, J., see Rothman, S.S. (991) 484
Grodzinsky, A.J., see Gray, M.L. (991) 415
Gstraunthaler, G., see Ruedl, C. (991) 280

Haberle, F.C., see Levy, A. (991) 97
Hackett, T.J. and McHale, A.P.
Production of exocellobiohydrolase activity by *Talaromyces emersonii* CBS 814.70 during growth on lactose-containing media (991) 248
Harkness, R.A., see Wajner, M. (991) 79
Hashimoto, F., see Hayashi, H. (991) 310
Hayakawa, K., see Oizumi, J. (991) 410
Hayashi, H., Yoshida, H., Hashimoto, F. and Okazeri, S.
Changes in polyamine-oxidizing capacity of peroxisomes under various physiological conditions in rats (991) 310
Heinrich, P.C., see Dahlmann, B. (991) 253
Helgerson, S.L., see Ross, P.E. (991) 134
Hirayama, K., see Kikuchi, M. (991) 19
Hochman, A., see Goldberg, I. (991) 330
Horne, D.S., see Dalgleish, D.G. (991) 383
Hu, H., see Iannone, A. (991) 90
Hudson, A.R., see Magos, L. (991) 85
Huebers, E., see Huebers, H.A. (991) 30
Huebers, H.A., Huebers, E., Josephson, B. and Csiba, E.
A highly efficient chemical isolation procedure for the rat placental transferrin receptor (991) 30

Iannone, A., Hu, H., Tomasi, A., Vannini, V. and Swartz, H.M.
Metabolism of aqueous soluble nitroxides in hepatocytes: effects of cell integrity, oxygen, and structure of nitroxides (991) 90
Inoue, M., see Sugi, K. (991) 405
Ishizu, K., see Mukai, K. (991) 276
Iskander, N., see Rothman, S.S. (991) 484
Isobe, T., see Kocha, T. (991) 56
Ito, S., see Kato, S. (991) 36
Ivanetich, K.M., see Corrigall, A.V. (991) 399
Iwahara, S., see Takegawa, K. (991) 431

Janecek, E.J., see Meryhew, N.L. (991) 470
Jesaitis, A.J., see Allen, R.A. (991) 123
Jikibara, T., see Takegawa, K. (991) 431
Josephson, B., see Huebers, H.A. (991) 30

Kato, S., Ito, S., Noguchi, T. and Naito, H.
Effects of brefeldin A on the synthesis and secretion of egg white proteins in primary cultured oviduct cells of laying Japanese quail (*Coturnix coturnix japonica*) (991) 36
Kato, Y., see Sakai, H. (991) 367
Kawakishi, S., see Uchida, K. (991) 377
Kern, D., see Rothman, S.S. (991) 484
Kikuchi, M., Fukuyama, K., Hirayama, K. and Epstein, W.L.
Purification and characterization of carboxypeptidase from terminally differentiated rat epidermal cells (991) 19
Kim, C.-H., see Sata, H. (991) 388
Kirsch, R.E., see Corrigall, A.V. (991) 399
Kirschke, H., see Dahlmann, B. (991) 253
Kirz, J., see Rothman, S.S. (991) 484
Kitamura, Y., see Mukai, K. (991) 276
Kitani, T. and Fujisawa, H.
Purification and characterization of antizyme inhibitor of ornithine decarboxylase from rat liver (991) 44
Klöck, G. and Kreuzberg, K.
Kinetic properties of a *sn*-glycerol-3-phosphate dehydrogenase purified from the unicellular alga *Chlamydomonas reinhardtii* (991) 347
Kocha, T., Fukuda, T., Isobe, T. and Okuyama, T.
Specific purification of glyceraldehyde-3-phosphate dehydrogenase by hydrophobic chromatography on immobilized colchicine (991) 56
Kohara, H., Shimizu, K. and Yamaga, N.
Conversion of 5α-pregnane-3,20-dione, 3α-hydroxy-5α-pregnan-20-one and 3β-hydroxy-5α-pregnan-20-one to Δ^{16}-C_{19} steroids by the reconstituted Δ^{16}-C_{19}-steroid synthetase system (991) 141
Kreuzberg, K., see Klöck, G. (991) 347
Krishnan, A.K., see Lim, S.T. (991) 353
Kuehn, L., Dahlmann, B., Gauthier, F. and Neubauer, H.-P.
High-molecular-mass proteinases in rabbit reticulocytes: the multicatalytic proteinase is an ATP-independent enzyme and ATP-activated proteolysis is in part associated with a cysteine proteinase complexed to α_1-macroglobulin (991) 263
Kuehn, L., see Dahlmann, B. (991) 253
Kumar, N.G., see Levy, A. (991) 97

Latos, P. and Wojtczak, A.B.
Use of the glucose oxidase/peroxidase method for glucose assay leads to overestimation of the inhibition of gluconeogenesis by aminopyrine (991) 152
Lavie, E., Bitton, M., Shalev, J., Weininger, J., Abrashkin, S., Varga, E., Lubin, E. and Azoury, R.
Clot uptake of labeled active and inhibited tissue plasminogen activator (991) 62
Law, A.J.R., see Dalgleish, D.G. (991) 383
Lee, R.C., see Gray, M.L. (991) 415
Levy, A., Manoharan, P.T., Rifkind, J.M., Walker, J.C., Haberle, F.C., Kumar, N.G., Glickson, J.D. and Elgavish, G.A.
Mössbauer, EPR and NMR studies of the acid-induced reduction and changes in spin state of ferric bleomycin (991) 97
Liberatore, F., see Carelli, V. (991) 25
Lim, S.T., Krishnan, A.K. and Ong, K.K.
Purification and characterisation of the second form of cyclic 3′,5′-nucleotide phosphodiesterase from *Rhizobium fredii* (991) 353
Lubin, E., see Lavie, E. (991) 62
Lundahl, P., see Öjteg, G. (991) 317

Madaiah, M., see Shet, M.S. (991) 465
Magos, L., Clarkson, T.W. and Hudson, A.R.
The effects of dose of elemental mercury and first-pass circulation time on exhalation and organ distribution of inorganic mercury in rats (991) 85
Majumder, G.C., see Roy, N. (991) 114
Mangold, J.B., Spina, A. and McCann, D.J.
Sulfation of mono- and diaryl oximes by aryl sulfotransferase isozymes (991) 453
Manoharan, P.T., see Levy, A. (991) 97
Martonosi, A.
Calcium regulation in muscle diseases; the influence of innervation and activity (991) 155
Maruyama, Y., see Sata, H. (991) 388
McCann, D.J., see Mangold, J.B. (991) 453
McHale, A.P., see Hackett, T.J. (991) 248
McNulty, I., see Rothman, S.S. (991) 484
McQuaid, K., see Rothman, S.S. (991) 484
Meryhew, N.L., Westling, P.R., Eerdmans, M.E., Janecek, E.J. and Runquist, O.A.
A kinetic study of erythrocyte-DNA/anti-DNA immune complex association and dissociation reactions in systemic lupus erythematosus (991) 470
Miercke, L.J.W., see Ross, P.E. (991) 134
Miki, S., see Takegawa, K. (991) 431

Mitsui, M., see Uchida, K. (991) 377
Mizote, T. and Nakayama, H.
Purification and properties of hydroxymethylpyrimidine kinase from *Escherichia coli* (991) 109
Moczar, E., see Redini, F. (991) 359
Modzejewski, J., see Ryals, P.E. (991) 438
Morino, Y., see Sugi, K. (991) 405
Moser, M., see Ruedl, C. (991) 280
Mukai, K., Nishimura, M., Ishizu, K. and Kitamura, Y.
Kinetic study of the reaction of vitamin C with vitamin E radicals (tocopheroxyls) in solution (991) 276

Naito, H., see Kato, S. (991) 36
Nakayama, H., see Mizote, T. (991) 109
Nascimento, A.L.T.O. and Cilento, G.
Schiff base formation with amino acids enhances light emission and damage induced in neutrophils by phenylacetaldehyde (991) 50
Neubauer, H.-P., see Kuehn, L. (991) 263
Nilsson, A., Thomson, K.S. and Adler, L.
Purification and characterization of glycerol kinase in the salt-tolerant yeast *Debaryomyces hansenii* (991) 296
Nishimura, M., see Mukai, K. (991) 276
Nishimura, T., see Fukazawa, H. (991) 272
Nivez, M.-P., see Ardaillou, N. (991) 445
Noguchi, T., see Kato, S. (991) 36
Noordmans, J., see Van der Mei, H.C. (991) 395
Nuttall, F.Q., see Gilboe, D.P. (991) 340

Ogawa, T., see Tsuji, H. (991) 380
Oizumi, J. and Hayakawa, K.
Biotinidase and lipoamidase in guinea pig livers (991) 410
Öjteg, G., Lundahl, P. and Wolgast, M.
The net electric charge of proteins. A comparison of determinations by Donnan potential measurements and by gel electrophoresis (991) 317
Okazeri, S., see Hayashi, H. (991) 310
Okuyama, T., see Kocha, T. (991) 56
Ong, K.K., see Lim, S.T. (991) 353
Ozaki, C.K., Chu, S.-h.W. and Walker, W.A.
Developmental changes in galactosyltransferase activity in the rat small intestine (991) 243

Pizzanelli, A.M., see Gray, M.L. (991) 415
Pou, S., Rosen, G.M., Britigan, B.E. and Cohen, M.S.
Intracellular spin-trapping of oxygen-centered radicals generated by human neutrophils (991) 459
Poupon, M.F., see Redini, F. (991) 359

Rakotoarison, S., see Ardaillou, N. (991) 445
Rarback, H., see Rothman, S.S. (991) 484
Redini, F., Moczar, E., Antoine, E. and Poupon, M.F.
Binding and internalization of exogenous glycosaminoglycans in weakly and highly metastatic rhabdomyosarcoma cells (991) 359
Rifkind, J.M., see Levy, A. (991) 97
Rigot, W.L., see Shimamoto, C. (991) 284
Roerdink, F.H., see Daemen, T. (991) 145
Rosen, G.M., see Pou, S. (991) 459
Ross, P.E., Helgerson, S.L., Miercke, L.J.W. and Dratz, E.A.
Isoelectric focusing studies of bacteriorhodopsin (991) 134
Rothman, S.S., Iskander, N., Attwood, D., Vladimirsky, Y., McQuaid, K., Grendell, J., Kirz, J., Ade, H., McNulty, I., Kern, D., Chang, T.H.P. and Rarback, H.
The interior of a whole and unmodified biological object – the zymogen granule – viewed with a high-resolution X-ray microscope (991) 484
Roy, N. and Majumder, G.C.
Purification and characterization of an anti-sticking factor from goat epididymal plasma that inhibits sperm–glass and sperm–sperm adhesions (991) 114
Ruedl, C., Gstraunthaler, G. and Moser, M.
Differential inhibitory action of the fungal toxin orellanine on alkaline phosphatase isoenzymes (991) 280
Runquist, O.A., see Meryhew, N.L. (991) 470
Ryals, P.E., Buhse, Jr., H.E. and Modzejewski, J.
Lipid modification during cytodifferentiation of *Tetrahymena vorax*. Whole cell phospholipids and triacylglycerols of microstomal and macrostomal phenotypes (991) 438

Sakai, H., Saku, T., Kato, Y. and Yamamoto, K.
Quantitation and immunohistochemical localization of cathepsins E and D in rat tissues and blood cells (991) 367
Saku, T., see Sakai, H. (991) 367
Santos, V., see Slavkin, H.C. (991) 12
Sartorio, R., see Barbato, G. (991) 324
Sasaoka, K., see Tsuji, H. (991) 380
Sata, H., Umeda, M., Kim, C.-H., Taniguchi, H. and Maruyama, Y.
Amylase-pullulanase enzyme produced by *B. circulans* F-2 (991) 388
Scherphof, G.L., see Daemen, T. (991) 145
Schwartz, L.B., see Alter, S.C. (991) 426
Shalev, J., see Lavie, E. (991) 62
Shet, M.S. and Madaiah, M.
A lectin from the thigh muscle of *Rana tigerina* (991) 465
Shimamoto, C., Deshmukh, G.D., Rigot, W.L. and Boland, C.R.
Analysis of cancer-associated colonic mucin by ion-exchange chromatography: evidence for a mucin species of lower molecular charge and weight in cancer (991) 284
Shimizu, K., see Kohara, H. (991) 141
Sipehia, R., see Daka, N.J. (991) 487
Slavkin, H.C., Bessem, C., Fincham, A.G., Bringas, Jr., P., Santos, V., Snead, M.L. and Zeichner-David, M.
Human and mouse cementum proteins immunologically related to enamel proteins (991) 12
Snead, M.L., see Slavkin, H.C. (991) 12
Spina, A., see Mangold, J.B. (991) 453
Sugi, K., Inoue, M. and Morino, Y.
Degradation of plasma bilirubin by a bilirubin oxidase derivative which has a relatively long half-life in the circulation (991) 405
Suzuki, H., see Fukazawa, H. (991) 272
Swann, D.A., see Gray, M.L. (991) 415
Swartz, H.M., see Iannone, A. (991) 90

Takegawa, K., Miki, S., Jikibara, T. and Iwahara, S.
Purification and characterization of exo-α-D-mannosidase from a *Cellulomonas* sp. (991) 431
Taniguchi, H., see Sata, H. (991) 388
Thomson, K.S., see Nilsson, A. (991) 296
Tianhui, X. and Chiao, J.S.
Purification and properties of DAHP synthase from *Nocardia mediterranei* (991) 1
Tianhui, X. and Chiao, J.S.
Regulation of the biosynthetic pathway of aromatic amino acids in *Nocardia mediterranei* (991) 6
Tomasi, A., see Iannone, A. (991) 90
Tortorella, S., see Carelli, V. (991) 25
Tsuji, H., Ogawa, T., Bando, N. and Sasaoka, K.
Stereospecificity of NAD(P)H oxidation catalyzed by 4-aminobenzoate hydroxylase from *Agaricus bisporus* (991) 380

Uchida, K., Mitsui, M. and Kawakishi, S.
Monooxygenation of *N*-acetylhistamine mediated by L-ascorbate (991) 377
Umeda, M., see Sata, H. (991) 388

Van der Mei, H.C., Noordmans, J. and Busscher, H.J.
Molecular surface characterization of oral streptococci by Fourier transform infrared spectroscopy (991) 395
Vannini, V., see Iannone, A. (991) 90
Varga, E., see Lavie, E. (991) 62
Veninga, A., see Daemen, T. (991) 145
Vladimirsky, Y., see Rothman, S.S. (991) 484

Wajner, M. and Harkness, R.A.
Distribution of xanthine dehydrogenase and oxidase activities in human and rabbit tissues (991) 79
Walker, J.C., see Levy, A. (991) 97
Walker, W.A., see Ozaki, C.K. (991) 243
Weininger, J., see Lavie, E. (991) 62
Westling, P.R., see Meryhew, N.L. (991) 470
Wiederanders, B., see Dahlmann, B. (991) 253
Wojtczak, A.B., see Latos, P. (991) 152
Wolgast, M., see Öjteg, G. (991) 317
Wright, B.E., see Butler, M.H. (991) 337
Wurzburger, S., see Barbato, G. (991) 324

Yamaga, N., see Kohara, H. (991) 141
Yamamoto, K., see Sakai, H. (991) 367
Yoshida, H., see Hayashi, H. (991) 310

Zappia, V., see Barbato, G. (991) 324
Zeichner-David, M., see Slavkin, H.C. (991) 12
Zhang, D.-W. and Colombini, M.
Inhibition by aluminum hydroxide of the voltage-dependent closure of the mitochondrial channel, VDAC (991) 68